


SS-NC15DXLP-QMSEF-M8(S)(4K) | 8.0 MP AI Network Dome Camera



Key Features

- Sony STARVIS CMOS Sensor.
- Built-in Audio.
- Face Detection & Vehicle Detection.
- Ingress Protection IP67.
- Video Encoding H.265AI/H.265+.



| Parameter | Details |
|--------------------------|--|
| Model | SS-NC15DXLP-QMSEF-M8(S)(4K) |
| Make | SECURUS |
| Image Sensor | 1/2.7" Sony STARVIS CMOS Sensor |
| Image Pixels | 3840x2160 (8.0MP), 2880x1616 (5.0MP), 2560x1440 (4.0MP), 2304x1296 (3.0MP), 1920x1080 (2.0MP) |
| Minimum Illumination | Color: 0.0001Lux@F1.2; B/W: 0.0001Lux@F1.2, AGC ON, 0Lux with IR |
| Day/Night | Auto (ICR) / Color / Black & White |
| WDR (Wide Dynamic Range) | ≤140db |
| IR LED | 2Pcs IR LED |
| IR LED Technology | SmartEXIR [®] Technology |
| IR Distance | 15 ~ 30 Meters |
| Shutter Type | Manual/Auto |
| Shutter Speed | 1/25s ~ 1/100000s |
| Lens Mount | 2.8mm/3.6mm/4.0mm/6.0mm |
| Lens Type | Board Lens |
| Network Interface | 10/100 MBPS RJ45 Connector |
| Network Protocol | HTTP, TCP, ARP, RTSP, RTP, UDP, RTCP, SMTP, FTP, DHCP, DNS, DDNS, PPPoE, IPv4/v6, SNMP, QoS, UPnP, NTP |

| Parameter | Details |
|-------------------------|--|
| Video Encoding | H.265A1/H.265+/H.265/H.264+/H.264 |
| Video Bitrate | 128kbps ~ 8Mbps |
| Video Streams | Triple Stream |
| Video Stream Resolution | Main Stream: 3840 x 2160 @15FPS; 2880 x 1616 @25/30FPS; 2560 x 1440 @25/30FPS; 1920 x 1080 @25/30 FPS Sub Stream 1: 800 x 448 @25/30FPS |
| Digital Zoom | Supported (Max: 16X) |
| Audio Input | Yes; 1Ch; 2Vp-p 1k Ω Impedence |
| Audio Output | Yes; 1Ch; 16 Ω Impedence |
| Audio Compression | G.711 |
| Image Setup | Mirror Image/Reverse/Color Settings |
| Alarm I/O | Yes (Optional) |
| Intelligent AI Feature | Human Detection, Face Detection, Vehicle Detection, Active Deterrence, Line Crossing, Trip Wire |
| Operation Temperature | -10°C ~ +65°C |
| Operation Humidity | 0% ~ 90% |
| Power Supply | DC12V, PoE (IEEE802.3af)(Class 0) |
| Power Consumption | ≤3.6W without IR; ≤6W with IR |

| Parameter | Details |
|--------------------|---|
| SD Card | Supported (Max: 512 GB) (Optional) |
| ONVIF | ONVIF Conformant |
| Multiple Browsers | Supports (Chrome, Mozilla, Edge, Opera) |
| Housing Material | Aluminium + ABS |
| Dimensions | 115mm x 115mm |
| Weight | ≤1.0 KGs |
| Ingress Protection | IP67 |
| Certifications | CE, FCC, RoHS, BIS |

Securus Overview

Securus CCTV is one of the Largest Indian Manufacturer & Supplier of Video Surveillance Products like High Definition Cameras, Standalone Recorders, Network Recorders, POE Switches, Video Management Surveillance Software, CCTV & Networking Cables for Surveillance & Other Surveillance Products & Solutions. Powered by In House R&D Team & State-of-the Art Factory in Electronic Zone Gandhinagar. We Manufacture Products under the **Make in India** Initiative.



Securus AI Technology



Head Office

K.M. ELECTRONIC CABLES PRIVATE LIMITED
"K.M. House", Near C.U. Shah College,
Ahmedabad, Gujarat-380014

Factory

K.M. ELECTRONIC CABLES PRIVATE LIMITED
B-20, GIDC Electronics Estate, Sector 25,
Gandhinagar, Gujarat-382024

Email

sales@securuscttv.com

Securus Helpline

85911 85511

Securus Website

www.securuscttv.com