


Product Technical Specifications Utility Range

# SS-NC20L2XP-CSUTL-M5(S) | 5.0 MP IP UTILITY BULLET CAMERA



**Key Features** 

- Built-in Audio.
- Progressive Scan CMOS Sensor.
- Colorsense® Technology.
- Ingress Protection IP67.
- Video Encoding H.265AI/H.265+.





Parameter	Details
Model	SS-NC20L2XP-CSUTL-M5(S)
Make	SECURUS
Product Range	Utility Range
Image Sensor	1/2.7" Progressive Scan CMOS
Image Pixels	2592 x 1944 Pixels (5.0 MP)
Minimum Illumination	Color: 0.005Lux@F1.2; B/W: 0.001Lux@F1.2
Day/Night	Auto (ICR) / Color / Black & White
WDR (Wide Dynamic Range)	≤140db
IR LED	1Pcs IR LED
IR LED Technology	Colorsense® Technology
IR Distance	20 ~ 40 Meters
Shutter Type	Manual/Auto
Shutter Speed	1/25s ~ 1/100000s
Lens Mount	2.8mm/3.6mm/4.0mm/6.0mm
Lens Type	Board Lens
Network Interface	10/100 MBPS RJ45 Connector



Parameter	Details
Network Protocol	HTTP, TCP, ARP, RTSP, RTP, UDP, RTCP, SMTP, FTP, DHCP, DNS, DDNS, PPP0E, IPv4/v6, SNMP, Q0S, UPnP, NTP
Video Encoding	H.265AI/H.265+/H.265/H.264+/H.264
Video Bitrate	128kbps ~ 8Mbps
Video Streams	Triple Stream
Video Stream Resolution	Max : 2592 x 1944; 1920 x 1080; 720 x 576; 25/30 FPS
Digital Zoom	Supported (Max: 16X)
Audio Input	Yes; 1Ch; 2Vp-p 1k□ Impedence
Audio Output	Yes; 1Ch; 16 Impedence
Audio Compression	G.711
Image Setup	Mirror Image/Reverse/Color Settings
Alarm	N/A
Intelligent AI Feature	Face Detection, Vehicle Detection, Human Detection, Active Deterrence, Line Crossing, Trip Wire
Operation Temperature	-10°C ~ +65°C
Operation Humidity	0% ~ 90%
Power Supply	DC12V, PoE (IEEE802.3af)(Class 0)



Parameter	Details
Power Consumption	≤3.6W without IR; ≤6W with IR
Multiple Browsers	Supports (Chrome, Mozilla, Edge, Opera)
Housing Material	Aluminium + ABS
Dimensions	180mm x 70mm x 70mm
Weight	≤0.5 KGs
Ingress Protection	IP67
Certifications	CE, FCC, RoHS



## Product Technical Specifications

# **Securus Overview**

Securus CCTV is one of the Largest Indian Manufacturer & Supplier of Video Surveillance Products like High Definition Cameras, Standalone Recorders, Network Recorders, POE Switches, Video Management Surveillance Software, CCTV & Networking Cables for Surveillance & Other Surveillance Products & Solutions. Powered by In House R&D Team & State-of-the Art Factory in Electronic Zone Gandhinagar. We Manufacture Products under the Make in India Initiative.



Factory





In-House **R&D** Center

32+ Years Dedication







Registered







MSME Registered

ONVIF Member

GeM **Registered OEM** 

# Securus Al Technology



Upto 8.0 Megapixel

Built in Microphone





Vehicle Detection





Deterrence





Recognition

ANPR Technology

## **Head Office**

K.M. ELECTRONIC CABLES PRIVATE LIMITED "K.M. House", Near C.U. Shah College, Ahmedabad, Gujarat-380014

### Factory

K.M. FLECTRONIC CABLES PRIVATE LIMITED B-20, GIDC Electronics Estate, Sector 25, Gandhinagar, Gujarat-382024

## Email

sales@securuscctv.com

**Securus Helpline** 85911 85511

### Securus Website

www.securuscctv.com

SECURUS IP UTILITY CAMERA RANGE 06-01-2024 © K. M. Electronic Cables Pvt. Ltd. - Ahmedabad. All Rights Reserved. Specifications are subject to change without prior notice.

Active

