

SS-40L4XP-TPUTL-M2.4(S) | 2.4 MP HD-TVI IR BULLET CAMERA



Key Features

- 2 ARRAY IR LED.
- Built-in Audio.
- HD-TVI Technology.
- 12V DC Power Supply.
- Ingress Protection IP67.

Parameter	Details
Model	SS-40L4XP-TPUTL-M2.4(S)
Make	SECURUS
Product Range	Utility Range
Image Sensor	1/2.7" 2.4 Megapixel Image Sensor
TV System	PAL/NTSC
Video Standard	Compliance with HD-TVI
Effective Pixel	1984 x 1225 Pixels
Video Frame Rate	1984 x 1225 Pixels @ 25FPS
Video Output	1 x BNC Video Out
Video Output Format	HD-TVI, CVI, AHD, CVBS
Audio	Built in coaxial audio
Lens Mount	3.6mm/4.0mm/6.0mm HD Lens
Day/Night	Auto(ICR)/Color/BW
BLC	Auto
AWB	Auto
IR Distance	40 ~ 50 Meters
LED Wavelength	2 ARRAY IR LED
Minimum Illumination	0.01 Lux/ F1.2 (AGC ON)

Parameter	Details
Noise Reduction	2D/3D
Synchronization	Internal
Electronic Shutter Speed	1/25 - 1/50,000 seconds
Transmission	500 Meters @ 75-3 Coaxial Cable
Power Supply	12V DC ±10%
Operation Temperature	-10 to +60 deg. C (Humidity: 90% max)
IP Rating	IP67
Certifications	CE, FCC

Securus Overview

Securus CCTV is one of the Largest Indian Manufacturer & Supplier of Video Surveillance Products like High Definition Cameras, Standalone Recorders, Network Recorders, POE Switches, Video Management Surveillance Software, CCTV & Networking Cables for Surveillance & Other Surveillance Products & Solutions. Powered by In House R&D Team & State-of-the Art Factory in Electronic Zone Gandhinagar. We Manufacture Products under the **Make in India** Initiative.



Securus AI Technology



Head Office

K.M. ELECTRONIC CABLES PRIVATE LIMITED
"K.M. House", Near C.U. Shah College,
Ahmedabad, Gujarat-380014

Factory

K.M. ELECTRONIC CABLES PRIVATE LIMITED
B-20, GIDC Electronics Estate, Sector 25,
Gandhinagar, Gujarat-382024

Email

sales@securusctv.com

Securus Helpline

85911 85511

Securus Website

www.securusctv.com